Author Index 2005

Afify, A A	Online discretization of continuous-valued attributes in rule induction	829
Afify, A A	RULES-6: a simple rule induction algorithm for handling large data sets	1119
Aglietti, G	Robust control of microvibrations with experimental verification	453
Ahn, K Y	Dynamic analysis and structural design of links in an air circuit breaker to enhance fatigue life	11
Ajaykumar, R	Simulation of free-surface flow in a tank using the Navier–Stokes model and unstructured finite volume method	251
Akiyama, M	Optimization of anvil design for ensuring dimensional precision of forged round billet without forging defects by three-dimensional rigid-plastic finite element analysis	461
Anil Kumar, A V V	Automatic modular fixture generation in computer-aided process planning systems	1147
Anoop, M B	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Arafa, H A	C-gears: geometry and machining	709
Arif, A F M	Laser short-pulse heating with time-varying intensity and thermal stress development in the lattice subsystem	73
Arshad, M	On the natural frequencies of a flexible manipulator with a tip payload	1199
Arshed, G M	Transient helium jet expansion into stagnant air in relation to laser drilling	667
Bakhtar, F	Classical nucleation theory and its application to condensing steam flow calculations	1315
Bakhtar, F	Theoretical treatments of two-dimensional two-phase flows of steam and comparison with cascade measurements	1335
Bakhtar, F	Effects of wake chopping on droplet sizes in steam turbines	1357
Balabani, S	An experimental study of steady and pulsating cross-flow over a semi-staggered tube bundle	283
Balakrishnan, S	Investigation of reciprocating conformal contact of piston skirt-to-surface modified cylinder liner in high performance engines	1235
Barb, K J	A novel technique for steam turbine exhaust pressure limitation using dynamic pressure sensors	925
Barrans, S M	Plastic deformation in flat-section band clamps	93
Brown, K J	Centre-line deviation as a measure of camber in steel slabs during unrestricted horizontal rolling	775
Budair, M O	Transient helium jet expansion into stagnant air in relation to laser drilling	667
Carré, M J	Understanding the effect of seams on the aerodynamics of an association football	657
Carré, M J	Oblique impact of thick walled pressurized spheres as used in tennis	1179
Castiglia, D	An experimental study of steady and pulsating cross-flow over a semi-staggered tube bundle	283
Cave, H M	Surface tension effects on liquid flow in small plastic tubes when gas bubbles are present	853
Čudina, M	Noise due to firecracker explosions	523
Ce Zhang	KHV indexing cam mechanism: a new intermittent mechanism	687
Chakraborty, S	Genetic algorithm-based optimal design of plate fins following minimum entropy generation considerations	757
Chamra, L M	Modelling of evaporation and condensation pressure drop in microfin tubes	61
Chang, S-L	Design of a novel cutter for manufacturing helical cutting tools	395
Chang, W-T	Analysis of mechanical errors in disc cam mechanisms	209
Chang, Y-C	Shape optimization on double-chamber mufflers using a genetic algorithm	31
Chao Zhang	Experimental study of the deformation behaviour of compacted metal powders used in a new rapid tooling process	347
Chen, B-T	Tensile properties and microstructural aspects of 304L stainless steel weldments as a function of strain rate and temperature	439
Chen, C-I	Non-linear stability analysis of a thin Newtonian film flowing down an infinite vertical rotating cylinder	911
Chen, C-K	Non-linear stability analysis of a thin Newtonian film flowing down an infinite vertical rotating cylinder	911
Chen, F-C	Analysis and verification of a Watt I six-bar furniture hinge mechanism	1107
Chen, J	The dynamic analysis of a 2-PRR planar parallel mechanism	901
Chen, J-H	The failure of threaded fasteners due to vibration	299
Chen, T	Dynamic response simulations of flexible beams using the energy wave scattering method	859

© IMechE 2005

Chen, W	Analysis and fabrication process of an electro-magnetically actuated valveless micropump with two parallel flexible diaphragms	1007
Chiou, S-T	Surface design and tooth contact analysis of an innovative modified spur gear with crowned teeth	193
Chiu, M-C	Shape optimization on double-chamber mufflers using a genetic algorithm	31
Choi, H G	Vibration analysis of an idealized vertical pump model	169
Choi, K-B	Dynamics of a compliant mechanism based on flexure hinges	225
Choi, S B	An investigation on piezoelectric energy harvesting for MEMS power sources	429
Choi, S B	Rotational motion control of a washing machine using electrorheological clutches and brakes	627
Choi, S-B	Compliant motion control of a three-link manipulator with link flexibility and joint constraints	1207
Chu, T	Investigation of high-frequency squeal in a disc brake system using a friction layer-based coupling stiffness	513
Chung, J	Effect of gravity and angular velocity on an automatic ball balancer	43
Chung, M K	A numerical study of the U-turn bend in return channel systems for multistage centrifugal compressors	749
Chung, S-C	Integrated design methodology for high-precision/speed servomechanisms	843
Clark, D E R	Interpreting three-dimensional shape distributions	553
Clelland, D	Pattern recognition on diesel engine working conditions by wavelet Kullback–Leibler distance method	879
Congiu, F	Experimental and numerical analyses of relaxation processes in LP steam turbines	1411
Corney, J R	Interpreting three-dimensional shape distributions	553
Cui, F	Analysis and fabrication process of an electro-magnetically actuated valveless micropump with two parallel flexible diaphragms	1007
Dai, G-L	Modal coordinate formulation for a simply supported bridge subjected to a moving train modelled as two-stage suspension vehicles	1027
Dai, J S	Virtual-mechanism-based analysis of cooperative manipulation	315
DasGupta, A	Non-linear dynamics of a thin rotating disc with aerial forces	1169
Di Puccio, F	Comparison of different methods in gear curvature analysis using a new approach	1279
Diab, Y	Experimental and numerical investigations on the air-pumping phenomenon in high-speed spur and helical gears	785
Diangui Huang	Characteristics of torsional vibrations of a shaft system with parallel misalignment	1219
Dickens, P M	A model for weld strength in ultrasonically consolidated components	83
Dimov, S S	Selection of K in K-means clustering	103
Djordjevic, V D	Circular Couette flow between porous cylinders	743
Don, J	Investigation of high-frequency squeal in a disc brake system using a friction layer-based coupling stiffness	513
Dong, K	An analytical method for elastic–plastic stress in a thermoplastic composite cantilever beam subjected to bias-axis tension load	1017
Donţu, O	Influence of thermal deformations in the solid laser medium on the emitted radiation parameters	823
Douglas, S S	Design of hybrid machines for nonuniform motion production	491
Duminica, D	Influence of thermal deformations in the solid laser medium on the emitted radiation parameters	823
Dumoulin, S	Experimental data on aluminium single crystals behaviour	1159
Dwivedi, R	Process planning for multi-directional laser-based direct metal deposition	695
Dwyer-Joyce, R S	Measurement of interface pressure in interference fits	127
Ebrahimi, M	The torsional response of rotor systems	357
Engeda, A	A numerical study of the U-turn bend in return channel systems for multistage centrifugal compressors	749
Engeda, A	A novel technique for steam turbine exhaust pressure limitation using dynamic pressure sensors	925
Engeda, A	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 1: experimental investigation	1053
Engeda, A	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 2: numerical investigation	1061
Esfahanian, M	Fault identification in rotating machinery using artificial neural networks	141
F Bakhtar, F	Effects of wake chopping on droplet sizes in steam turbines	1357
Faelling, J	Experimental and numerical analyses of relaxation processes in LP steam turbines	1411
Fawehinmi, O B	A combined experimental and computational fluid dynamics analysis of the dynamics of drop formation	933
Filip, P	Investigation of high-frequency squeal in a disc brake system using a friction layer-based coupling stiffness	513
Ford, D G	The digital injection of signals into machine feedback loops via incremental encoder interfaces	325

 © IMechE 2005

Freeman, J M	The digital injection of signals into machine feedback loops via incremental encoder interfaces	325
Fuller, A J	Measurement and interpretation of the heat transfer coefficients of metal foams	183
Gabiccini, M	Comparison of different methods in gear curvature analysis using a new approach	1279
Ganatsios, S	Influence of thermal deformations in the solid laser medium on the emitted radiation parameters	823
Gaskell, P H	A combined experimental and computational fluid dynamics analysis of the dynamics of drop formation	933
Gilmartin, M J	Design of hybrid machines for nonuniform motion production	491
Goodwill, S R	Understanding the effect of seams on the aerodynamics of an association football	657
Goodwill, S R	Oblique impact of thick walled pressurized spheres as used in tennis	1179
Gopika, V	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Greim, R	Experimental and numerical analyses of relaxation processes in LP steam turbines	1411
Grigoris, P	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727
Guanlong Chen	KHV indexing cam mechanism: a new intermittent mechanism	687
Guha, S K	On the steady-state performance of isotropically rough porous hydrodynamic journal bearings of finite width with slip-flow effect	1249
Guiggiani, M	Comparison of different methods in gear curvature analysis using a new approach	1279
Haake, S J	Understanding the effect of seams on the aerodynamics of an association football	657
Haake, S J	Oblique impact of thick walled pressurized spheres as used in tennis	1179
Hale, J M	Development of piezoelectric paint thick-film vibration sensors	1
Hall, A S	A study of the interaction between operator style and machine capability for a hydraulic mining excavator	477
Hao Wang	KHV indexing cam mechanism: a new intermittent mechanism	687
Hao, X	Dynamic response of toroidal drive to mesh parametric excitations	889
Haque, R	On the steady-state performance of isotropically rough porous hydrodynamic journal bearings of finite width with slip-flow effect	1249
Harland, A R	Measurement of out of balance in hollow spheres using flotation dynamics: soccer ball application	159
Hatziapostolou, A	Design and evaluation measurements of a swirl stabilized laboratory burner	1079
H-C Tseng	Design of a novel cutter for manufacturing helical cutting tools	395
He, X D	Reliability-based optimization and robust design of a coil tube-spring with non-normal distribution parameters	567
Heaton, A V	Effects of wake chopping on droplet sizes in steam turbines	1357
Hervé, J M	Discontinuously movable seven-link mechanisms via group-algebraic approach	577
Hesketh, J A	Effects of wetness in steam turbines	1301
Hibi, A	Vane pump theory for mechanical efficiency	1269
Hirt, F	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727
Ho, C-I	Thermal analysis and optimization for a ball grid array package	381
Hodson, H P	Measurement and interpretation of the heat transfer coefficients of metal foams	183
Houjoh, H	Experimental and numerical investigations on the air-pumping phenomenon in high-speed spur and helical gears	785
Howell-Smith, S	Investigation of reciprocating conformal contact of piston skirt-to-surface modified cylinder liner in high performance engines	1235
Hsieh, S-C	The failure of threaded fasteners due to vibration	299
Huang, B W	Effect of periodic drilling force on instability in a drilling process	733
Huang, G H	SEWHAPM: development of a water hydraulic axial piston motor for underwater tool systems	639
Huang, J	Torques for electromechanical integrating toroidal drive	801
Hung, C-I	Thermal analysis and optimization for a ball grid array package	381
Hung, T-C	Thermal analysis and optimization for a ball grid array package	381
Hwang, W M	Optimal synthesis of the adjustable knock-out cam-follower mechanism of a bolt former	767
Ilanko, S	An intelligent hammer: a novel concept for automating nail and pile driving	121
Inaguma, Y	Vane pump theory for mechanical efficiency	1269
Jamil, Z	The torsional response of rotor systems	357
Jha, R K	Genetic algorithm-based optimal design of plate fins following minimum entropy generation considerations	757
Jimack, P K	A combined experimental and computational fluid dynamics analysis of the dynamics of drop formation	933
Jin, H	Dynamic response of toroidal drive to mesh parametric excitations	889
Jin, Z M	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727

Jones, R	Measurement of out of balance in hollow spheres using flotation dynamics: soccer ball application	159
Kapur, N	A combined experimental and computational fluid dynamics analysis of the dynamics of drop formation	933
Kikuyama, K	Numerical study on the propulsive performance of a submerged wiggling micromachine in straight conduit	409
Kikuyama, K	Numerical study on the performance of a micropump with a wiggling blade	1069
Kim, C W	Optimal design of laminated composite plates for maximum buckling load using genetic algorithm	869
Kim, J Y	Vision-based measurement of part deformation and misalignment for deformable cylindrical peg-in-hole tasks	589
Kim, J-H	Experimental and numerical studies on the performance of a polydimethylsiloxane valveless micropump	1139
Kim, M-S	Integrated design methodology for high-precision/speed servomechanisms	843
Kim, T	Measurement and interpretation of the heat transfer coefficients of metal foams	183
Kim, Y-S	Experimental and numerical studies on the performance of a polydimethylsiloxane valveless micropump	1139
Kirk, R	Oblique impact of thick walled pressurized spheres as used in tennis	1179
Kong, C Y	A model for weld strength in ultrasonically consolidated components	83
Kong, L	Microslip friction in flat belt drives	1097
Konstantinidis, E	An experimental study of steady and pulsating cross-flow over a semi-staggered tube bundle	283
Kovacevic, R	Process planning for multi-directional laser-based direct metal deposition	695
Krallis, K	Design and evaluation measurements of a swirl stabilized laboratory burner	1079
Kreitmeier, F	Experimental and numerical analyses of relaxation processes in LP steam turbines	1411
Krumdieck, S	Carbon dioxide scrubbing from air for alkaline fuel cells using amine solution in a packed bubble column	1225
Krumdieck, S P	Surface tension effects on liquid flow in small plastic tubes when gas bubbles are present	853
Kubie, J	Limits on the penetration of coiled tubing in horizontal oil wells: effect of the pipe geometry	1191
Kumar, J	Three-dimensional characterization of engineering surfaces using triangular motifs	965
Kumar, K	Simulation of free-surface flow in a tank using the Navier–Stokes model and unstructured finite volume method	251
Kung, C-C	Modelling of evaporation and condensation pressure drop in microfin tubes	61
Kung, H K	Effect of periodic drilling force on instability in a drilling process	733
Kushwaha, H S	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Lakshmanan, N	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Lee, A-C	The failure of threaded fasteners due to vibration	299
Lee, B Y	Dynamic analysis and structural design of links in an air circuit breaker to enhance fatigue life	11
Lee, C-C	Discontinuously movable seven-link mechanisms via group-algebraic approach	577
Lee, D Y	An investigation on piezoelectric energy harvesting for MEMS power sources	429
Lee, D Y	Rotational motion control of a washing machine using electrorheological clutches and brakes	627
Lee, H S	Vibration analysis of an idealized vertical pump model	169
Lee, J M	Vibration analysis of an idealized vertical pump model	169
Lee, J S	Optimal design of laminated composite plates for maximum buckling load using genetic algorithm	869
Lee, W-S	Tensile properties and microstructural aspects of 304L stainless steel weldments as a function of strain rate and temperature	439
Lewins, J	A unified approach to reheat in gas and steam turbine cycles	539
Lewis, R	Measurement of interface pressure in interference fits	127
Li, C S	Simulation of bulk metal forming by means of finite integral mesh free methods	949
Li, H	Virtual-mechanism-based analysis of cooperative manipulation	315
Li, H	Pattern recognition on diesel engine working conditions by wavelet Kullback–Leibler distance method	879
Li, J-L	Surface design and tooth contact analysis of an innovative modified spur gear with crowned teeth	193
Li, Y	Kinematics and tip-over stability analysis for the mobile modular manipulator	331
Li, Y P	SEWHAPM: development of a water hydraulic axial piston motor for underwater tool systems	639
Li, Z Y	SEWHAPM: development of a water hydraulic axial piston motor for underwater tool systems	639
Lin, C-F	Tensile properties and microstructural aspects of 304L stainless steel weldments as a function of strain rate and temperature	439
Liu, F	Development of piezoelectric paint thick-film vibration sensors	1

 © IMechE 2005

Liu, F	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727
Liu, H	Virtual-mechanism-based analysis of cooperative manipulation	315
Liu, Q L	Reliability-based optimization and robust design of a coil tube-spring with non-normal distribution parameters	567
Liu, Y	Kinematics and tip-over stability analysis for the mobile modular manipulator	331
Lou, P	Modal coordinate formulation for a simply supported bridge subjected to a moving train modelled as two-stage suspension vehicles	1027
Lu, T J	Measurement and interpretation of the heat transfer coefficients of metal foams	183
Madar Valli, P	Automatic modular fixture generation in computer-aided process planning systems	1147
Mago, P J	Modelling of evaporation and condensation pressure drop in microfin tubes	61
Mahajan, A	Investigation of high-frequency squeal in a disc brake system using a friction layer-based coupling stiffness	513
Mares, C	Model structure correction and updating of aeroengine casings using fictitious mass modifications	19
Marshall, M B	Measurement of interface pressure in interference fits	127
Martins, P A F	Simulation of bulk metal forming by means of finite integral mesh free methods	949
Mashmoushy, H	Theoretical treatments of two-dimensional two-phase flows of steam and comparison with cascade measurements	1335
McAllen, P	A method for the prediction of ductile fracture by central bursts in axisymmetric extrusion	237
McAree, P R	A study of the interaction between operator style and machine capability for a hydraulic mining excavator	477
McCourt, I	Limits on the penetration of coiled tubing in horizontal oil wells: effect of the pipe geometry	1191
McNeil, D A	Highly viscous liquid flow in pipeline components	267
Meurers, T	Robust control of microvibrations with experimental verification	453
Montague, R J	Centre-line deviation as a measure of camber in steel slabs during unrestricted horizontal rolling	775
Mottershead, J E	Model structure correction and updating of aeroengine casings using fictitious mass modifications	19
Myers, M R	Surface tension effects on liquid flow in small plastic tubes when gas bubbles are present	853
Na, K-H	Experimental and numerical studies on the performance of a polydimethylsiloxane valveless micropump	1139
Nahvi, H	Fault identification in rotating machinery using artificial neural networks	141
Neilson, P J	Measurement of out of balance in hollow spheres using flotation dynamics: soccer ball application	159
Nguyen, C D	Selection of K in K-means clustering	103
Nie, S L	SEWHAPM: development of a water hydraulic axial piston motor for underwater tool systems	639
Oguamanam, D C D	On the natural frequencies of a flexible manipulator with a tip payload	1199
Oh, J M	A numerical study of the U-turn bend in return channel systems for multistage centrifugal compressors	749
Oh, J M	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 1: experimental investigation	1053
Oh, J M	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 2: numerical investigation	1061
Orfanoudakis, N G	Design and evaluation measurements of a swirl stabilized laboratory burner	1079
Pak, C-G	Vibration analysis of an idealized vertical pump model	169
Paliwal, M	Investigation of high-frequency squeal in a disc brake system using a friction layer-based coupling stiffness	513
Park, S H	Dynamic analysis and structural design of links in an air circuit breaker to enhance fatigue life	11
Parker, R G	Microslip friction in flat belt drives	1097
Pham, D T	Selection of K in K-means clustering	103
Pham, D T	Online discretization of continuous-valued attributes in rule induction	829
Pham, D T	RULES-6: a simple rule induction algorithm for handling large data sets	1119
Phelan, P	A method for the prediction of ductile fracture by central bursts in axisymmetric extrusion	237
Prezelj, J	Noise due to firecracker explosions	523
Price, D S	Measurement of out of balance in hollow spheres using flotation dynamics: soccer ball application	159
Priya, C	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Qingchang, T	A model of magnetic force for thrust bearings of permanent magnets	979
Rahnejat, H	Investigation of reciprocating conformal contact of piston skirt-to-surface modified cylinder liner in high performance engines	1235
Rao, D N	Automatic modular fixture generation in computer-aided process planning systems	1147

Rao, H V	Plastic deformation in flat-section band clamps	93
Rao, K B	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Rea, H J	Interpreting three-dimensional shape distributions	553
Rhee, K	Experimental and numerical studies on the performance of a polydimethylsiloxane valveless micropump	1139
Riaz, M S	A novel technique for steam turbine exhaust pressure limitation using dynamic pressure sensors	925
Rieker, C	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727
Roberts, P	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727
Rodrigues, J M C	Simulation of bulk metal forming by means of finite integral mesh free methods	949
Rogers, E	Robust control of microvibrations with experimental verification	453
Sainsot, P	Experimental and numerical investigations on the air-pumping phenomenon in high-speed spur and helical gears	785
Saraf, R K	Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking	607
Sato, T	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 1: experimental investigation	1053
Sato, T	Experimental and numerical investigation of the flow in a vaneless diffuser of a centrifugal compressor stage. Part 2: numerical investigation	1061
Schnerr, G H	Unsteadiness in condensing flow: dynamics of internal flows with phase transition and application to turbomachinery	1369
Şerpa, A L	Investigation of tooth contact deviations from the plane of action and their effects on gear transmission error	501
Shahverdi, H	Model structure correction and updating of aeroengine casings using fictitious mass modifications	19
Sharp, R S	Driver steering control and a new perspective on car handling qualities	1041
Shoghi, K	Plastic deformation in flat-section band clamps	93
Shuja, S Z	Transient helium jet expansion into stagnant air in relation to laser drilling	667
Shunmugam, M S	Three-dimensional characterization of engineering surfaces using triangular motifs	965
Simpson, D A	Classical nucleation theory and its application to condensing steam flow calculations	1315
Smith, M R	Design of a combined cam–linkage mechanism with an oscillating roller follower by an analytical method	419
Soar, R C	A model for weld strength in ultrasonically consolidated components	83
Sohn, J W	An investigation on piezoelectric energy harvesting for MEMS power sources	429
Stephenson, R	Development of piezoelectric paint thick-film vibration sensors	1
Stuart, A D	Highly viscous liquid flow in pipeline components	267
Su, Y	Analysis and fabrication process of an electro-magnetically actuated valveless micropump with two parallel flexible diaphragms	1007
Sudharsan, N M	Simulation of free-surface flow in a tank using the Navier–Stokes model and unstructured finite volume method	251
Sultan, I A	The limaçon of Pascal: mechanical generation and utilization for fluid processing	813
Sung, R	Interpreting three-dimensional shape distributions	553
Surendra Babu, B	Automatic modular fixture generation in computer-aided process planning systems	1147
Suresh Kumar, P	Investigation of laminar flow frictional losses in a large-hydraulic-diameter pipe and annulus	53
Tabourot, L	Experimental data on aluminium single crystals behaviour	1159
Tajima, J	Optimization of anvil design for ensuring dimensional precision of forged round billet without forging defects by three-dimensional rigid-plastic finite element analysis	461
Tamura, K	Optimization of anvil design for ensuring dimensional precision of forged round billet without forging defects by three-dimensional rigid-plastic finite element analysis	461
Tan, A C H	Robust control of microvibrations with experimental verification	453
Tan, M-O	Modelling of evaporation and condensation pressure drop in microfin tubes	61
Taylor, N K	Interpreting three-dimensional shape distributions	553
Thompson, H M	A combined experimental and computational fluid dynamics analysis of the dynamics of drop formation	933
Topalbekiroğlu, M	Kinematic analysis and synthesis of the knotting mechanisms can be used in the production of handmade carpet: a case study	987
Tseng H-C	Design of a novel cutter for manufacturing helical cutting tools	395
Uchiyama, T	Numerical study on the propulsive performance of a submerged wiggling micromachine in straight conduit	409
Uchiyama, T	Numerical study on the performance of a micropump with a wiggling blade	1069
Udofia, I J	Comparison of contact mechanics between a total hip replacement and a hip resurfacing with a metal-on-metal articulation	727

 © IMechE 2005

Velex, P	Experimental and numerical investigations on the air-pumping phenomenon in high-speed spur and helical gears	785
Veres, S M	Robust control of microvibrations with experimental verification	453
Ville, F	Experimental and numerical investigations on the air-pumping phenomenon in high-speed spur and helical gears	785
Vlachakis, N	Design and evaluation measurements of a swirl stabilized laboratory burner	1079
Walker, P J	Effects of wetness in steam turbines	1301
Wallace, J	Carbon dioxide scrubbing from air for alkaline fuel cells using amine solution in a packed bubble column	1225
Wang, J-S	The dynamic analysis of a 2-PRR planar parallel mechanism	901
Wang, L-P	The dynamic analysis of a 2-PRR planar parallel mechanism	901
Wang X,	An analytical method for elastic–plastic stress in a thermoplastic composite cantilever beam subjected to bias-axis tension load	1017
Watton, J	Centre-line deviation as a measure of camber in steel slabs during unrestricted horizontal rolling	775
Wei, L	A model of magnetic force for thrust bearings of permanent magnets	979
Wen, B C	Reliability-based optimization and robust design of a coil tube-spring with non-normal distribution parameters	567
Whalley, R	The torsional response of rotor systems	357
White, A J	Classical nucleation theory and its application to condensing steam flow calculations	1315
White, A J	Theoretical treatments of two-dimensional two-phase flows of steam and comparison with cascade measurements	1335
White, J R	Development of piezoelectric paint thick-film vibration sensors	1
Wink, C H	Investigation of tooth contact deviations from the plane of action and their effects on gear transmission error	501
Wu, L-I	Analysis of mechanical errors in disc cam mechanisms	209
Xiao, J	An analytical method for elastic–plastic stress in a thermoplastic composite cantilever beam subjected to bias-axis tension load	1017
Xiaoping Jiang	Experimental study of the deformation behaviour of compacted metal powders used in a new rapid tooling process	347
Xingyang Liu	Experimental study of the deformation behaviour of compacted metal powders used in a new rapid tooling process	347
Xiong, S W	Simulation of bulk metal forming by means of finite integral mesh free methods	949
Xu, H Y	Virtual-mechanism-based analysis of cooperative manipulation	315
Xu, L	Torques for electromechanical integrating toroidal drive	801
Xu, L	Dynamic response of toroidal drive to mesh parametric excitations	889
Yang, Y-T	Non-linear stability analysis of a thin Newtonian film flowing down an infinite vertical rotating cylinder	911
Yao, A W L	Effect of periodic drilling force on instability in a drilling process	733
Ye, Z	Design of a combined cam–linkage mechanism with an oscillating roller follower by an analytical method	419
Yeh, L-J	Shape optimization on double-chamber mufflers using a genetic algorithm	31
Yilbas, B S	Laser short-pulse heating with time-varying intensity and thermal stress development in the lattice subsystem	73
Yilbas, B S	Transient helium jet expansion into stagnant air in relation to laser drilling	667
Yildirim, N	Some guidelines on the use of profile reliefs of high contact ratio spur gears	1087
Yongchen, P	A model of magnetic force for thrust bearings of permanent magnets	979
Young, J B	Classical nucleation theory and its application to condensing steam flow calculations	1315
Yu, C Z	Optimal synthesis of the adjustable knock-out cam-follower mechanism of a bolt former	767
Yuan, Z	Design of hybrid machines for nonuniform motion production	491
Zeng, Q-Y	Modal coordinate formulation for a simply supported bridge subjected to a moving train modelled as two-stage suspension vehicles	1027
Zhang, W	Analysis and fabrication process of an electro-magnetically actuated valveless micropump with two parallel flexible diaphragms	1007
Zhang, X	Simulation of free-surface flow in a tank using the Navier–Stokes model and unstructured finite volume method	251
Zhang, Y M	Reliability-based optimization and robust design of a coil tube-spring with non-normal distribution parameters	567
Zhou, P	Pattern recognition on diesel engine working conditions by wavelet Kullback–Leibler distance method	879
Zhu, Y Q	SEWHAPM: development of a water hydraulic axial piston motor for underwater tool systems	639
Zunquan, K	A model of magnetic force for thrust bearings of permanent magnets	979

© IMechE 2005